



**Anglian Oil Company Ltd.
Northern Lights, AA Pad, AA16, Slot 09, Run #4**

**Job No. AB-CD-12345678
Survey Date: 23 September 2017**

**True North Directional Services Inc.
Anticollision Report**

01 March 2024

Minimum Distance Proximity Scan (North Reference)

Scan Range: 0.00m to 1,637.30m Measured Depth
Scan Radius is 500.00m.



True North
Directional Services Inc.

Minimum Distance Proximity Scan (North Reference)
Reference Survey: AA Pad, AA16, Run #4 (and parent profiles)
Scan Range: 0.00m to 1,637.30m Measured Depth
Scan Radius is 500.00m.

Comparison Structure, Well, Profile	Reference Well		Comparison Well				Proximity	
	Measured Depth (m)	Vertical Depth (m)	Measured Depth (m)	Vertical Depth (m)	Northings (m)	Eastings (m)	Relative Distance (m)	Relative North Direction
AA Pad								
AA01, Run #1	0.00	0.00	0.00	0.00	63.44 N	29.58 W	70.00	335.00
AA02, Gyro Survey Data	0.00	0.00	0.00	0.00	54.38 N	25.36 W	60.00	335.00
AA02, MWD Run #1	240.00	240.00	240.04	240.02	56.73 N	25.86 W	62.61	335.55
AA02, MWD Run #2	456.95	420.94	682.64	487.13	192.74 N	258.20 E	321.51	35.30
AA02, MWD Run #3	1,637.17	486.92	1,406.82	488.30	498.37 N	914.68 E	475.75	335.52
AA02, Lateral #1, MWD Run #4	1,637.29	486.92	1,543.28	488.51	556.29 N	1,038.23 E	496.34	351.46
AA03, As Drilled Surveys	0.00	0.00	0.00	0.00	55.60 N	70.06 W	89.44	308.43
AA04, As Drilled Surveys	339.45	336.30	346.35	340.63	1.40 N	16.53 E	12.64	352.74
AA05, As Drilled Surveys	373.83	365.48	404.04	392.57	2.00 S	0.81 E	45.76	303.73
AA06, As Drilled Surveys	341.40	338.04	343.13	337.89	9.89 S	19.96 E	1.65	50.09
AA07, As Drilled Surveys	1,530.00	486.91	1,566.94	500.49	17.39 N	1,016.05 E	13.69	153.96
AA08, As Drilled Surveys	0.00	0.00	0.00	0.00	37.47 N	61.61 W	72.11	301.31
AA09, As Drilled Surveys	0.00	0.00	0.00	0.00	72.50 N	33.81 W	80.00	335.00
AA10, As Drilled Surveys	300.63	300.06	316.85	315.64	26.91 N	45.90 W	62.37	299.13
AA10, Sidetrack Surveys	513.88	443.40	748.66	502.13	123.89 N	299.20 E	295.57	39.57
AA11, As Drilled Surveys	541.67	449.18	572.95	464.38	120.39 S	129.18 E	16.38	244.72
AA12, As Drilled Surveys	0.00	0.00	0.00	0.00	46.54 N	65.84 W	80.62	305.26
AA13, SAGD Producer	321.11	319.56	341.58	338.42	18.91 N	30.99 W	53.13	299.60
AA14, SAGD Injector	270.00	269.94	272.41	272.16	34.47 N	11.45 W	37.69	339.56
AA15, As Drilled Surveys	301.62	301.01	307.24	305.93	22.72 N	1.64 W	27.22	340.98

BB Pad

BB02, Leg #5, Run #1	1,637.23	486.92	1,133.56	485.76	317.67 N	1,002.37 E	275.00	336.52
----------------------	----------	--------	----------	--------	----------	------------	--------	--------


All station coordinates were calculated using the Minimum Curvature method.
 All data is in metres unless otherwise stated. Directions and coordinates are relative to Grid North.
 Vertical depths are relative to RKB. Northings and Eastings are relative to Well AA16.

Coordinate system is Universal Transverse Mercator, Zone 12 North.
 Central meridian is -111.00°. Grid convergence at surface is 1.18°.

Profile Sections

- Survey: Run #1 from 0.00m to 299.09m
- Survey: Run #2 from 299.09m to 764.52m
- Survey: Run #3 from 764.52m to 1,196.86m
- Survey: Run #4 from 1,196.86m to 1,637.30m

Minimum Distance Proximity Scan (North Reference)
Reference Survey: AA Pad, AA16, Run #4 (and parent profiles)
Scan Range: 0.00m to 1,637.30m Measured Depth
Scan Radius is 500.00m.



Minimum Distance Proximity Scan (North Reference)
Reference Survey: AA Pad, AA16, Run #4 (and parent profiles)
Scan Range: 0.00m to 1,637.30m Measured Depth
Scan Radius is 500.00m.

Disclaimer Notice

True North Directional Services Inc. makes no warranty of any kind with respect to the subject matter included herein or the completeness or accuracy of this document.

True North Directional Services Inc. are not responsible for any actions (or lack thereof) taken as a result of relying on or in any way using information contained in this document and in no event shall be liable for any damages resulting from reliance on or use of this information.